

International Journal of Plant & Soil Science

Volume 35, Issue 7, Page 52-58, 2023; Article no.IJPSS.97185 ISSN: 2320-7035

Composition of Bioactive Carotenoid, Flavonoid, and Terpene compounds in Selected Fruits: A Mini Review

Grandhi N. V. G. K. S. Nimita^a, Vikanksha^a and Jatinder Singh^{a*}

^a Department of Horticulture, School of Agriculture, Lovely Professional University, Phagwara, Jalandhar-144402, India.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: 10.9734/IJPSS/2023/v35i72861

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: https://www.sdiarticle5.com/review-history/97185

Mini-review Article

Received: 15/01/2023 Accepted: 20/03/2023 Published: 27/03/2023

ABSTRACT

Bioactive substances are secondary metabolites that are produced by plants to protect their body; yet, such substances are able to control metabolic functions and have beneficial effects on the human body. Vitamins, minerals, phenolics, antioxidants,flavonoids, carotenoids, and micronutrients and fiber appear to be responsible for beneficial health effects such as curing diabetics, cardiac ailments, etc. Fruit-extracted/isolated bioactive components are considered to have antioxidant, anti-inflammatory, antibacterial, cardioprotective, and neuroprotective activities, according to research data from a variety of in vitro and in vivo studies. As a result, fruits have the potential to be turned into medications and functional foods that may be used to avoid or alleviate a variety of chronic issues. The nutritional and phytochemical composition of fruits is determined by their maturation level, variety, environmental conditions, agricultural practices, and post-harvest handling and processing. This review aims to describe the importance of different fruits as a significant source of phytocompounds, which are being studied in clinical trials to create drugs for curing various human

^{*}Corresponding author: E-mail: jatinder.19305@lpu.co.in;

ailments, such as obesity, diabetes, cardiac, and cancer conditions. The vast and varied wealth of fruits may yet include undiscovered and extremely strong bioactive chemicals, which require more investigation.

Keywords: Phytochemical; bioactive; phenol; carotenoid; anthocyanin; flavonoid.

1. INTRODUCTION

India is the world's second-largest producer of fruits and vegetables after China, contributing about 10% and 15% of total global production, correspondingly [1]. Fruits are an important part of our everyday nutrition. Fruit-rich diets are frequently advised for people because of their benefits to health [2]. Bioactive substances are secondary metabolites that plants produce to sustain homeostasis; yet, they also control metabolic processes and have beneficial impacts on the human body [3]. Three groups of bioactive substances are distinguished: phenolic compounds, terpenoids and terpenes, and alkaloids. According to reports, fruits include bioactive substances such as phytochemicals (phenolics, flavonoids, and carotenoids), vitamins (vitamin C, folate, and pro-vitamin A), minerals (potassium, calcium. and magnesium), and fibres, all of which are important for maintaining human health and nutrition [4]. Nutraceuticals, a more modern and broad term, refer to a class of natural compounds which comprise herbs and other substances used as dietary supplements and regulated as foods [5]. Fruits are a great source of bioactive substances, including pectin, terpenoids (limonoids and carotenoids), and phenolic compounds (flavonoids, phenolic acids, coumarins) Polyphenols, and [6]. flavonoids, anthocyanidins, carotenoids, isoflavonoids, limonoids, glucosinolates, fatty lycopenes, omega-3 and 6 acids, phytoestrogens, phytosterols, polyphenols, probiotics, resveratrol, and terpenoids are a few of the significant bioactive dietary ingredients [7]. They have particular pharmacological impacts on human health, including those that are anti-inflammatory, anti-allergic, antioxidant, antibacterial. antifungal, antispasmodic, chemopreventive, hepato-protective, hypolipidemic, neuroprotective, hypotensive, anti-aging, antidiabetic, osteoporosis, safeguard of DNA damage, cancer and heart diseases, induce apoptosis, diuretic, CNS stimulant [8].

With functional qualities such as antiinflammatory, antibacterial, anticancer, antidiabetic, and antibiotic, bioactive chemicals

provide a variety of health advantages [9]. These bioactive may be isolated using a variety of extraction procedures, and to determine their potential health benefits, the derived bioactive are tested in a variety of in vitro and in vivo ways [10]. 31 aldehydes, 37 esters, 29 ketones, 28 alcohols, 23 furanic compounds, 22 hydrocarbons, 19 benzene compounds, 13 nitrogenous compounds, 9 carboxylic acids, 7 ethers, 4 halogenated compounds, and 3 naphthalene derivatives were among the 320 metabolites that were definitely volatile confirmed [11]. Genetic engineering approaches can be used to improve or add the bioactive components of functional foods to conventional diets [12]. The potentially bioactive food ingredients have positive effects on health and well-being and may play a significant impact [13]. This review emphasizes the bioactive elements of various fruits. particularly phytochemicals associated with advantages to human health.

2. CAROTENOIDS

Carotenoids are irreplaceable micronutrients in human nourishment and are broadly tracked down in various bacteria, fungi, algae, and plants [14]. Up until this point, in excess of 800 natural carotenoids have been found, with shades of red, orange, yellow, and so on [15]. Chloroplast and chromoplast membranes carry these natural lipophilic pigments in plants [16]. They are indirectly responsible for the colors of fruits red, yellow and orange (Rodriguez-Concepcion et al., 2018). Carotenoids are equally present in green tissues along with photosynthetic pigments [17]. They can catch light energy and convey it to chlorophyll An in the energized state, which carries out the role of changing light energy. Furthermore, carotenoids diminish oxidative stress in the human body and compel active oxygen scavengers with provitamin activity (Fig. 1).

3. FLAVONOIDS

Flavonoids have a place with the polyphenol superfamily and are combined by plants and generally exist in stems, leaves, flowers, and fruits (Fig. 2). Flavonoids are normally yellow, light yellow, or white [18]. Seed disseminators are drawn in by the attractive shade of fruits, which is conspicuously contributed by flavonoids [19].

Plants produce flavonoids because of different abiotic and biotic stresses, and flavonoids additionally partake in managing plant development and improvement [20]. There are various flavonoids with rich items in fruits, and in excess of 5000 various types have been distinguished from plants [21]. Flavonoids have slowly turned into a research area of interest in biology, food science, medicine, and different fields [22].

4. ANTHOCYANINS

Anthocyanins are effective antioxidants that exert various biological properties like antitumor, anticancer, anti-diabetic and neuroprotective [23] (Fig. 4). These compounds impart colors like pink, blue, red and purple to flowers, fruits and leaves. These are vaguely diversified among different fruits and vegetables

Provitamin A Carotenoids

with notifiable concentrations [24]. Anthocyanins have indicated characteristics that suppress free radical formation, and cancers, and improve aging and memory [25]. Anthocyanins were notifiable for their role in regulating blood glucose and normalizing insulin secretion. Their instability has drawn the attention of researchers [26].

5. TERPENOIDS

Terpenes, the largest natural compounds, with substantial molecular variations (Fig. 4). Moreover, 55,000 are known to date [27]. Terpenoids are formed when they undergo oxidation and hydrogenation [28]. These are found in elevated quantities in citrus plant parts. Terpenoid compounds are antifungal, antiviral and antiparasitic [29]. Terpenes are broadly classified and named monoterpenes. (simplest hemiterpenes form). and sesquiterpenes [30]. Terpenes act as deterrent antifeedant substances, alarm substances, trail markers, and defensive emissions in plants [31-38]. These confer against cancer by necrosis to constrain cell proliferation [39-44].



Flavanone

Fig. 2. Structure of flavonoid

Name of fruit	Bioactive	Composition	Health benefits	References [37]	
	compound	(per 100g)			
Amla	Ellagic acid	36-91 mg	Inhibit mutations in genes.		
Mango	β-carotene	640 µg	Anti-diabetic, anti-obesity,	[38]	
	(Carotenoid)		cytotoxic and apoptotic		
			activity.		
Citrus	Flavonenes	10 µM	Minimise lipid absorption.	[33]	
	(flavonoid)				
	β-cryptoxanthin (carotenoids)	4.5 µM	Enhances ROS generation.	[36]	
	Limonin, Nomilin,	20-60 µM	Inhibit the proliferation of	[40]	
	and Limoneic acid		pancreatic cancer cells.		
	(limonoids)				
	Limonene	100 mg/mL	Alzheimer's disease	[41]	
	(Terpenes)	-	(AD).		
Banana	Pro Vitamin A	560-4680 µg	Neurodegenerative	[32]	
	Carotenoids	(unripe),	impairments.		
		1680-10630 µg			
		(ripe)			
Pomegranate	Naringenin hexoside	-	Insulin resistance.	[35]	
Himalayan	Coumarins	40.45 mg	Protect plants from	[43,44]	
Raspberries		-	infections.		
Lingonberry	Quercitrin	7826.68 ± 319.52	Scavenge particles in the	[42]	
(Koralle)		µg/g	body.		
Strawberry	Pelargonidin (anthocyanins)	-	Anti-inflammatory effects.	[34]	

Table 1.	Different	bioactive	comp	ounds	of	fruits	and	their	health	benefits



Fig. 3. Structure of anthocyanin

6. CONCLUSION

Urbanization and contemporary lifestyle have a crucial role in the aetiology of chronic illnesses in humans, and a prospective dietary intervention, particularly fruits, might be of considerable interest. Fruit consumption has expanded dramatically due to the availability of many bioactive components. Aside from traditional and customary uses, scientific data has clearly shown that bioactive components in fruits are crucial for the prevention, management, and treatment of a wide range of health issues in

Limonene





patients. Our review of the literature reveals that several phytochemical and dietary elements, such as vitamins, carotenoids, flavonoids, and phenolic compounds, are present in diverse fruits.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

- Sah S, Johar V, Karthi JS. Status and marketing of fruits and vegetables in India: A review. Asian Journal of Agricultural Extension, Economics & Sociology. 2022; 40(7):1-11.
- Šeregelj V, Šovljanski O, Tumbas Šaponjac V, Vulić J, Ćetković G, Markov S, Čanadanović-Brunet J. Horned Melon (*Cucumis metuliferus* E. Meyer Ex. Naudin)—current knowledge on its phytochemicals, biological benefits, and potential applications. Processes. 2022; 10(1):94.
- Sharma D, Shree B, Kumar S, Kumar V, Sharma S, Sharma S. Stress induced production of plant secondary metabolites in vegetables: Functional approach for designing next generation super foods. Plant Physiology and Biochemistry; 2022. Available:https://doi.org/10.1016/j.plaphy.2 022.09.034
- Sarkar T, Salauddin M, Roy S, Chakraborty R, Rebezov M, Shariati MA, Rengasamy KRR. Underutilized green leafy vegetables: Frontier in fortified food development and nutrition. Critical Reviews in Food Science and Nutrition. 2022:1-55. Available:https://doi.org/10.1016/j.plaphy.2

022.09.034 Shahqholian N. Introduction to

- 5. Shahgholian N. Introduction to nutraceuticals and natural products. Handbook of Nutraceuticals and Natural Products: Biological, Medicinal, and Nutritional Properties and Applications. 2022;1:1-14.
- Adetuyi BO, Odine GO, Olajide PA, Adetuyi OA, Atanda OO, Oloke JK. Nutraceuticals: Role in metabolic disease, prevention and treatment. World News of Natural Sciences. 2022; 42:1-27.

- 7. Gangwar P, Johri P, Datta R, Singh S, Trivedi Μ. Overview on 1 phytopharmaceuticals and biotechnology of herbal plants. In Phytopharmaceuticals and Biotechnology of Herbal Plants, CRC Press. 2023:1-17. Available:https://www.taylorfrancis.com/ch apters/edit/10.1201/b22917-1/overviewphytopharmaceuticalsbiotechnologyherbal-plants-privanka-gangwar-paruljohri-rahul-datta-sachidanand-singh-malatrivedi
- Kabilan SJ, Kunjiappan S, Sundaresan H, Mahesh S, Srinivasan G. Therapeutic efficacy of polyherbal formulation kabasura kudineer against common viral fevers-a perspective review. Anti-Infective Agents. 2022;20(5):63-80.
- 9. Thangaraju S, Shankar M. Buvaneshwaran M, Natarajan V. Effect of processing on the functional potential of components. In Bioactive bioactive Components: A Sustainable System for Good Health and Well-Being. Singapore: Springer Nature Singapore. 2022:183-207. Available:https://link.springer.com/chapter/ 10.1007/978-981-19-2366-1 12
- 10. Echave J, et al. Seaweed-derived proteins and peptides: Promising marine bioactives. Antioxidants. 2022;11(1):176.
- Aguiar J, Gonçalves JL, Alves VL, Câmara JS. Relationship between volatile composition and bioactive potential of vegetables and fruits of regular consumption—an integrative approach. Molecules. 2021;26(12):3653.
- Gupta I, Pawar D, Panwar S, Yadav P, Jain S, Yadav AK, Kumar A. Recent advances and use of tools for functional foods and nutraceuticals. Recent Advances in Food Biotechnology. 2022: 331-351. Available:https://link.springer.com/chapter/ 10.1007/978-981-16-8125-7 16
- Santhiravel S, Bekhit AEDA, Mendis E, Jacobs JL, Dunshea FR, Rajapakse N, Ponnampalam EN. The impact of plant phytochemicals on the gut microbiota of humans for a balanced life. International Journal of Molecular Sciences. 2022;23 (15):8124.
- 14. Maghsoudi S, et al. The colorful world of carotenoids: A profound insight on therapeutics and recent trends in nano delivery systems. Critical Reviews in Food

Science and Nutrition. 2022;62(13):3658-3697.

- Igreja WS, Maia FDA, Lopes AS, Chisté RC. Biotechnological production of carotenoids using low cost-substrates is influenced by cultivation parameters: A review. International Journal of Molecular Sciences. 2021;22(16):8819.
- Hermanns AS, Zhou X, Xu Q, Tadmor Y, Li L. Carotenoid pigment accumulation in horticultural plants. Horticultural Plant Journal. 2020;6(6):343-360.
- 17. Sun T, Rao S, Zhou X, Li L. Plant carotenoids: Recent advances and future perspectives. Molecular Horticulture. 2022;2(1):3.
- Lu W, Shi Y, Wang R, Su D, Tang M, Liu Y, Li Z. Antioxidant activity and healthy benefits of natural pigments in fruits: A review. International Journal of Molecular Sciences. 2021;22(9):4945.
- 19. Saivinayak J, Bn A, Santhosh P. Phytochemical screening and antioxidant activities of *Strobilanthes heyneanus*; 2022.
- 20. Marone D, Mastrangelo AM, Borrelli GM, Mores A, Laidò G, Russo MA, Ficco DBM. Specialized metabolites: Physiological and biochemical role in stress resistance, strategies to improve their accumulation, and new applications in crop breeding and management. Plant Physiology and Biochemistry. 2022;172:48-55.
- 21. Mikołajczak N, Tańska M, Ogrodowska D. Phenolic compounds in plant oils: A review of composition, analytical methods, and effect on oxidative stability. Trends in Food Science & Technology. 2021;113:110-138.
- 22. Kumar VA, Singh J. Trends in hydroponics practice/technology in horticultural crops: A review. International Journal of Plant & Soil Science. 2023;35(2):57–65. Available:https://doi.org/10.9734/ijpss/2023 /v35j22759
- 23. Dhalaria R, et al . Bioactive compounds of edible fruits with their anti-aging properties: A comprehensive review to prolong human life. Antioxidants. 2020;9(11):1123.
- 24. Zitterl-Eglseer K, Marschik T. Antiviral medicinal plants of veterinary importance: A literature review. Planta Medica. 2020;86(15):1058-1072.
- 25. Rana A, Samtiya M, Dhewa T, Mishra V, Aluko RE. Health benefits of polyphenols:

A concise review. Journal of Food Biochemistry. 2022;46(10):e14264.

- Kumar A, Vikanksha, Singh J. Nano-silicon coating on fruit crops: Review; 2022. Available:https://www.researchgate.net/pu blication/366272547_Nanosilicon_coating_ on_fruit_crops_Rev iew#:~:text=The%20use%20of%20nanosili con%20based%20coatings%20as%20carri ers,qualit y%20and%20safety%20of%20freshcut%20fruits%20and%20vegetables.
- Ninkuu V, Zhang L, Yan J, Fu Z, Yang T, Zeng H. Biochemistry of terpenes and recent advances in plant protection. International Journal of Molecular Sciences. 2021;22(11):5710.
- Chesnokov GA, Gademann K. Total syntheses of strained polycyclic terpenes. Chemical Communications. 2022;58(32): 4941-4953.
- 29. Zulhendri F, Chandrasekaran K, Kowacz M, Ravalia M, Kripal K, Fearnley J, Perera CO. Antiviral, antibacterial, antifungal, and antiparasitic properties of propolis: A review. Foods, 2021;10(6):1360.
- 30. Mosquera ME, et al. Terpenes and terpenoids: Building blocks to produce biopolymers. Sustainable Chemistry. 2021; 2(3):467-492.
- Barberis M, Calabrese D, Galloni M, Nepi M. Secondary metabolites in nectarmediated plant-pollinator relationships. Plants. 2023;12(3):550.
- Amah D, van Biljon A, Brown A, Perkins-Veazie P, Swennen R, Labuschagne M. Recent advances in banana (*Musa spp.*) biofortification to alleviate vitamin A deficiency. Critical Reviews in Food Science and Nutrition. 2019;59(21):3498-3510.
- 33. Denaro M, Smeriglio A, Trombetta D. Antioxidant and anti-inflammatory activity of citrus flavanones mix and its stability after in vitro simulated digestion. Antioxidants. 2021;10(2):140.
- Duarte LJ, et al. Molecular mechanism of action of pelargonidin-3-O-glucoside, the main anthocyanin responsible for the antiinflammatory effect of strawberry fruits. Food Chemistry. 2018;247:56-65.
- 35. Fourati M, et al. Bioactive compounds and pharmacological potential of pomegranate (*Punica granatum*) seeds-a review. Plant Foods for Human Nutrition. 2020;75:477-486.

- 36. Gansukh E, Nile A, Sivanesan Ι. Rengasamy KR, Kim DH, Keum YS, Saini RK. Chemopreventive effect of βhuman cryptoxanthin on cervical carcinoma (HeLa) cells is modulated stress-induced through oxidative apoptosis. Antioxidants. 2019;9(1):28.
- 37. Gul M, et al. Functional and nutraceutical significance of amla (*Phyllanthus emblica* L.): A review. Antioxidants. 2022;11(5): 816.
- Lebaka VR, Wee YJ, Ye W, Korivi M. Nutritional composition and bioactive compounds in three different parts of mango fruit. International Journal of Environmental Research and Public Health. 2021;18(2):741.
- Maltsev Y, Maltseva K, Kulikovskiy M, Maltseva S. Influence of light conditions on microalgae growth and content of lipids, carotenoids, and fatty acid composition. Biology. 2021;10(10):1060.
- 40. Murthy KC, Jayaprakasha GK, Safe S, Patil BS. Citrus limonoids induce apoptosis

and inhibit the proliferation of pancreatic cancer cells. Food & Function. 2021;12(3): 1111-1120.

- Piccialli I, et al. The antioxidant activity of limonene counteracts neurotoxicity triggered byAβ1-42 oligomers in primary cortical neurons. Antioxidants. 2021;10(6): 937.
- 42. Raudone L, Vilkickyte G, Pitkauskaite L, Raudonis R, Vainoriene R, Motiekaityte V. Antioxidant activities of *Vaccinium vitisidaea* L. leaves within cultivars and their phenolic compounds. Molecules. 2019;24(5):844.
- 43. Rehman S, Ganie AH, Reshi ZA. The therapeutic potential of *Artemisia amygdalina* decne, an endemic plant species from Kashmir Himalaya: A review. Herbal Medicines Journal (Herb Med J). 2022;7(1).
- 44. Shikha D, Kashyap P. Yellow Himalayan Berry. In Antioxidants in Fruits: Properties and Health Benefits. Springer, Singapore. 2020:67-81.

© 2023 Nimita et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history: The peer review history for this paper can be accessed here: https://www.sdiarticle5.com/review-history/97185