



# **Assessing Climate Change Perceptions and Adaptation Strategies among Sesame Farmers in Yobe State, Nigeria**

**Madaki, M. J. <sup>a\*</sup>, Owoade, E. O.<sup>a</sup>, Hassan, B. K. <sup>a</sup> and Muhammed, H. K. <sup>a</sup>**

<sup>a</sup> *Department of Agricultural Economics and Extension, Federal University Gashua, Nigeria.*

## **Authors' contributions**

*This work was carried out in collaboration among all authors. Author MMJ formulated and executed the research project. Author OEO helped in data analyses and interpretation. Authors HBK and MHK were involved in data collection and coding. All authors have read and approved the research.*

## **Article Information**

DOI: <https://doi.org/10.9734/arja/2024/v17i2452>

## **Open Peer Review History:**

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/116347>

**Original Research Article**

**Received: 29/03/2024**

**Accepted: 03/05/2024**

**Published: 14/05/2024**

## **ABSTRACT**

The study was conducted on sesame farmers' perception of climate change on sesame production in Bade Local Government Area of Yobe State, Nigeria. A sample of 125 farmers was selected for the study. Data was collected on the socioeconomic characteristics of the farmers, their perception of climate change, sources of information, their adoption of adaptation strategies, and their constraints on sesame production. Descriptive statistics such as means, percentages and Likert scale were used to analyze the data. The results show that male farmers (80.0%) dominated sesame production. The mean age was 35.03 years, and most (64.0%) farmers were married. Most (56.8%) respondents had an unfavorable perception of climate change. The primary source of information on climate change was other farmers (86.4%). Most (52.8%) respondents had a low

\*Corresponding author: E-mail: [musamjanga@yahoo.com](mailto:musamjanga@yahoo.com);

**Cite as:** Madaki, M. J., Owoade, E. O., Hassan, B. K., & Muhammed, H. K. (2024). Assessing Climate Change Perceptions and Adaptation Strategies among Sesame Farmers in Yobe State, Nigeria. *Asian Research Journal of Agriculture*, 17(2), 309–317. <https://doi.org/10.9734/arja/2024/v17i2452>

adoption of climate change adaptation strategies. The majority (53.6%) of the respondents faced high constraints to sesame production. It was recommended that agricultural extension services be revived to disseminate climate change information to sesame farmers so as to improve their control measures to climate change with the view to enhance sesame production.

*Keywords: Perception; climate change; sesame; production.*

## 1. INTRODUCTION

“Sesame, an ancient oilseed, is one of the oldest cultivated plants in the world. Sesame (*Sesamum indicum* L.), otherwise known as sesame or benniseed, is a member of the family Pedaliaceae, is a significant plant among Nigerian farmers, and it is widely grown solely or intercropped with other plants as a small-holder plant” [1]. “Nigeria is the highest grower of sesame seeds in Africa, but 90% of sesame seeds produced are sold outside the country. It contributed 0.57% of the total export value and 36.39% of the total agricultural exports to the Nigerian economy” (Proshare, 2015). “Nigeria has the highest untapped potential for sesame export, estimated at \$170 million” [2]. “This increasing demand for sesame seeds gives Nigeria the privilege of increasing its production to satisfy the worldwide market for the product. The realization of the capability of sesame production to earn foreign exchange for the country has made sesame a prominent enterprise in the country. In Nigeria, sesame is cultivated on over 80,000 ha across most northern states for food and oil. Sesame is one of the cash crops grown in Yobe State. It is a trendy crop among the rural farmers. It was reported that 85% of small-scale farmers in Yobe State are involved in sesame production, processing, and marketing of sesame, which shows the usefulness of the crop to improve the standard of living of all the actors involved in producing marketing, and processing of sesame crop”. (Sharon 2016).

Climate change is a critical phenomenon with substantial implications for human systems and human development. The impact of climate change is visible and widespread in Africa and the world. According to FAO [3]. “Nigeria is already experiencing the effects of climate change, with more extreme weather events occurring, more variability in the timing and intensity of rainfall, and higher temperatures throughout the country”. “In Yobe State, analysis of climatic data over 35 years (1981- 2016) has shown anomalies in precipitation, temperature, and evaporation. During this period, Yobe State

and the entire northern part of Nigeria suffered a series of droughts, notably the droughts of the 1970s, 1980s, and 1990s. There is an observed increasing average rainfall trend, but this was accompanied by higher average temperature trends (1999–2016). This higher temperature trend will affect crop and pasture production” [4].

“Yobe State is a rural state. Evidence of climate change has indicated that there was a delayed onset of rains, particularly in the Northern part of the State, an increase in the number of dry days during the rainy season, and an increase in maximum temperature, strong winds, and thunderstorms, respectively” [5]. “Yobe is estimated to account for 73% of the annual loss of resources from desertification among the eleven frontline States in Nigeria [6]. Therefore, communities in the State had a severe problem of crop failure or low yield arising from climate variability, particularly the delayed onset of rains and the increasing length and frequency of dry spells during the growing season. In addition, the problem of floods, high temperatures, and incidences of pests and diseases have also aggravated irrigation and upland farmers’ losses, consequently increasing poverty and malnutrition in the state. Unless appropriate mitigation and adaptation strategies are taken, climate change will frustrate commoners, particularly farmers’ in their effort to achieve sustainable agricultural production and food security” Sale (2016). Arifah et al, (2021) reported that “developing such strategies will require information from the target respondents in the study area since the ability to adapt and cope with climate change depends on their knowledge, skills, experiences, and other socioeconomic factors. Consequently, the primary motive to embark on this research was to investigate and fill the existing gap in knowledge on farmers’ perception of climate change and coping strategies to changing climate and their determinants in the rural farming households in Nigeria”.

The specific objectives were to:

- i. Determine the socioeconomic characteristics of the sesame farmers in the study area;

- ii. Assess sesame farmers' perceptions of climate change in the study area;
- iii. Identify sources of information on adaptation strategies used by the farmers;
- iv. Ascertain the suitable adaptation strategies respondents adopt; and
- v. Identify the constraints sesame farmers face in the study area.

## 2. MATERIALS AND METHODS

The study was conducted in Bade Local Government Area (LGA) in Yobe State, Nigeria. The LGA is bounded by Jakusko on the South, Bursari on the East, Yusufari on the North, and Karasuwa on the West. Its Coordinates are 12°52'N and 10°58'E. It has an area of 772 km<sup>2</sup> and a population of 139,782 at the 2006 census [7]. The hottest months are March and April, with temperatures of 38-40° Celsius. In the rainy season, June-September, temperatures fall to 23-28° Celsius, with rainfall of 500mm to 1000mm. People in the area, mainly smallholder farmers, produce different crops such as sesame, millet, sorghum, cowpea, wheat, soybeans, and rice.

The sample for this study was taken from the population of sesame farmers in Bade LGA. The Local Government Area has ten (10) geopolitical wards, namely, Sarkin Hausawa, Lawan Musa, Lawan Fannami, Zango, Katuzu, Sabongari, Gwio-kura, Dagona, Usur/Dawayo and Sugum/Tagali. The study employed a two-stage sampling procedure. Four (4) wards were purposively selected in the first stage because of the high concentration of sesame farmers. The second stage involved the simple random selection of fifteen percent (15%) of sesame farmers from the lists of sesame farmers in the selected four (4) wards, leading to the final selection of a total of one hundred and twenty-five (125) respondents for the study. Table 1 below shows the selection procedure.

### 2.1 Collection of Data

Primary data was collected from selected sesame farmers using a structured questionnaire. The data was collected on the socioeconomic characteristics of the sesame farmers, sesame farmers' perception of climate change, sources of information on adaptation strategies used by sesame farmers, adaptation strategies adopted by sesame farmers, and constraints faced by sesame farmers in the study area. Descriptive

statistics such as mean, frequency counts, and percentages were used to analyze the data.

**Table 1. Sample frame and sample size of sesame farmers**

Wards	Sampling frame	Sample size (15%)
Katuzu	200	30
Lawan-Fannami	161	24
User-Dawayo	153	23
Zango	317	48
Total	831	125

*Source: Department of agriculture, Bade local government area, 2023*

### 2.2 Measurement of Variables

**Sesame farmers' perception of climate change:** It was measured using a Likert Scale comprising seventeen perception items (negative and positive) in which the respondents indicated their level of agreement or disagreement with the items as follows: Strongly Agreed (5), Agreed (4), Undecided (3), Disagreed (2) and Strongly disagreed (1). Scoring was reversed for harmful items.

**Sources of information on adaptation strategies to climate change:** It was measured by asking the respondents to indicate through ticking their information sources on adaptation strategies to climate change.

**Adaptation strategies adopted by sesame farmers:** It was measured by asking the respondents to indicate the adaptation strategies they employed to cope with climate change using a five-point Likert type scale of Strongly Agreed (5), Agreed (4), Undecided (3), Disagreed (2) and Strongly disagreed (1).

**Constraints to sesame production faced by farmers:** It was measured by asking the respondents to indicate the level of constraints using a four-point rating scale of Very Severe Constraint (4), Severe Constraint (3), Mild Constraint (2), Not a Constraint (1)

### 2.3 Statistical Tools to be Used

Descriptive statistical tool and Likert scale were used to analyze the data. Descriptive tools used include mean, frequency counts and percentages to achieve objectives 1, 3 and 5.

## 2.4 The Likert Scale

Likert scale is a type of psychometric response scale in which respondents specify their level of agreement to a statement typically points of scale. In this study, the variables were measured using a five-point Likert Scale comprising seventeen items (negative and positive) in which the respondents indicated their level of agreement or disagreement with the items as follows: Strongly Agree (5), Agree (4), Undecided (3), Disagree (2) and Strongly disagree (1). Likert Scale was employed to achieve objectives 2 and 4.

## 3. RESULTS AND DISCUSSION

### 3.1 Socio-Economic Characteristics of Respondents

Table 2 presents the socio-economic characteristics of the respondents. The results show that 43.2% of the respondents were between the ages of 25-34 years, 25.6% were between the ages of 35-44 years, and 10.4% were between the ages of 45-54 years. The mean age was 35 years. The results implied that sesame farmers are young and active producers with the physical and mental abilities to contribute to the growth of the sesame production sub-sector of the economy if given all the necessary support. The finding is similar to the findings of Madaki et al. [8] and Owoade et al. [9] who reported that the mean age of rice farmers in Bade Local Government Area was 33.5 years and 38.62 years, respectively. Also, the results revealed that 80.0% of the respondents were males, while 20.0% were females. Therefore, sesame production in the study area was dominated by male farmers, which could be explained by the tediousness associated with sesame production. The finding is similar to the findings of Madaki et al. [8] and Owoade et al. [9] Owoade et al. [9]. who reported that rice farmers in Bade Local Government Area were mainly males. Furthermore, Table 2 reveals that only 11.2% of the respondents did not acquire formal education, 48.0% had primary school education, 30.4% had secondary education and 10.4% had tertiary education. The finding is in agreement with Nwalem et al, (2019) and Rukwe et al. [10] who reported that most sesame farmers were literate. This implies that the sesame farmers are educated. Education enhances farmers' ability to acquire and use agricultural information. It further helps farmers to adopt new farming ideas

and practices to boost production. In addition, the Table reveals that the majority (77.6%) of the respondents had household sizes ranging from 1 to 10, 20.8% had household sizes of 11 to 20, and 1.6% had 21 and above. The mean household size was 8. The finding is similar to the findings of Madaki et al. [8] and Owoade et al. [9] who reported that the mean household size of rice farmers in Bade Local Government was 8 and 9, respectively. This implies that the respondents had large household sizes, which could make family labor available for sesame farming. Moreover, Table 2 reveals that most (68.8%) respondents had 1-10 years of experience in sesame farming, and 31.2% had 11 and above years of experience. The mean year of experience in sesame farming was 9.2. Hence, respondents had sufficient years of experience, which can enhance their perception of climate change in the area. Furthermore, Table 2 shows that the majority (96.8%) of the respondents had between 1 to 5 hectares of farm holding, and 3.2% had six and above hectares. The average size of the farm holding was 2.83 hectares. This implies that the respondents are mostly smallholder sesame farmers. Results in Table 2 further show that 37.6% had livestock farming as their other source of income, 28.8% were civil servants, and 7.2% produced other crops. Sesame farmers were also involved in other agricultural enterprises, probably to reduce risks associated with farming and boost their income.

### 3.2 Sesame Farmers' Perception of Climate Change

Results in Table 3 show that the majority (71.2%) of the sesame farmers agreed that there was an observed increase in temperature in recent years. The finding agrees with the finding by Galadima and Nandi (2016) and Jorge et al (2020) who reported that farmers perceived a rise in temperature as the highest effect of climate change. Most (71.2%) of the sesame farmers also agreed that cutting down trees causes climate change. Almost half (43.2%) of them were undecided that overgrazing of animals causes climate change, and 72.8% of the sesame farmers agreed that there was usually a delay in rainfall these days. Furthermore, the majority (78.4%) of the sesame farmers disagreed that flooding is now a regular occurrence on sesame farmland; the finding is in contrast to the finding by Tologbonse et al. [11] that climate change increases flooding, which results in soil erosion, loss of soil fertility and low

agricultural productivity. The results also showed that the majority (78.4%) of the sesame farmers agreed that climate change has led to a change in the planting date of sesame; 86.4% of the farmers strongly disagreed that God is responsible for climate change. In addition, most (89.6%) sesame farmers strongly disagreed that farmers can do nothing to reduce climate change. In comparison, 62.4% of the sesame farmers agreed that burning vegetation is one of the causes of climate change, and 8.8% strongly agreed. The results further reveal that more than

half (62.4%) of the sesame farmers were undecided about crop rotation as a measure to prevent climate change. The mean scores disclose the level of agreement or disagreement with the perception statements, while the overall mean (3.54) was used as the threshold for agreement with the perception statements. The mean score of each statement above the overall mean indicates agreement with that statement. The respondents agreed with statements i, ii, iv, v, vii, viii, ix, x, xi, xii, xiii, and xvi.

**Table 2. Socio-economic characteristics of the respondents (n=125)**

Variables	Frequency	Percentage (%)	Mean	Standard deviation
<b>Age (in years)</b>				
15-24 years	20	16.0		
25-34 years	54	43.2		
35-44 years	32	25.6		
45-54 years	13	10.4		
55 years and above	06	4.8	35.03	11.14
<b>Sex</b>				
Male	100	80.0		
Female	25	20.0		
<b>Marital status</b>				
Married	80	64.0		
Single	32	25.6		
Widowed	07	5.6		
Divorced	06	4.8		
<b>Level of education</b>				
Qur'anic education	14	11.2		
Primary education	60	48.0		
Secondary education	38	30.4		
Tertiary education	13	10.4		
<b>Household size</b>				
1-10	97	77.6		
11-20	26	20.8		
21 and above	02	1.6	7.65	3.93
<b>Years of sesame farming experience</b>				
1-10	86	68.8		
11 and above	39	31.2	9.20	8.57
<b>Farm size (in hectares)</b>				
1-5	121	96.8		
Six and above	04	3.2	2.83	1.39
<b>Other sources of income</b>				
Production of other crops	09	7.2		
Civil service	36	28.8		
Livestock production	47	37.6		
Qur'anic teaching	33	26.4		

Source: Field survey, 2023

**Table 3. Sesame farmers' perception of climate change (n=125)**

S/N	Statement	SA	A	U	D	SD	Mean
i.	There has been an observed increase in temperature in recent years.	12.0	71.2	12.0	4.8	0.0	3.90*
ii.	Cutting down trees causes climate change.	14.4	71.2	14.4	0.0	0.0	4.00*
iii.	Overgrazing of animals causes climate change.	5.6	41.6	43.2	9.6	0.0	3.43
iv.	Rainfall distribution is heavy within a few months.	15.2	41.6	36.0	7.2	0.0	3.65*
v.	There is usually a delay in rainfall these days.	10.3	72.8	13.6	3.2	0.0	3.90*
vi.	Flooding is now a regular occurrence on sesame farmland.	0.0	0.0	10.4	78.4	11.2	1.99
vii.	Burning of vegetation is one of the causes of climate change.	8.8	62.4	16.8	12.0	0.0	3.68*
viii.	Climate change has been reducing crop yields.	2.4	62.4	24.8	10.4	0.0	3.57*
ix.	Climate change has led to a change in sesame planting dates.	7.2	78.4	13.6	0.8	0.0	3.92*
x.	Climate change has caused a reduction in the yield of sesame.	8.8	75.2	15.2	0.8	0.0	3.92*
xi.	Climate change has caused a sudden end of rainfall during the growing cycle of sesame.	16.8	69.6	11.2	2.4	0.0	4.00*
xii.	God is responsible for climate change.	0.0	0.0	0.0	13.6	86.4	4.86*
xiii.	There is nothing farmers can do to reduce climate change.	0.0	0.0	0.0	10.4	89.6	4.90*
xiv.	Cutting down trees cannot lead to climate change.	83.2	8.8	8.0	0.0	0.0	1.99
xv.	A change in rainfall pattern has not been observed during the growth cycle of sesame.	8.8	85.6	5.6	0.0	0.0	1.99
xvi.	Planting trees can prevent climate change.	0.0	76.8	16.8	4.0	2.4	3.78*
xvii.	Crop rotation is a measure to prevent climate change.	0.0	3.2	62.4	0.0	34.4	2.69
<b>Overall mean</b>		<b>3.54</b>					
Perception		Percentage		Min.	Max.	Mean	
Favourable (>60.34)		43.2					
Unfavourable(<60.34)		56.8		54	65	60.34	

Mean > 3.54\* indicates agreement, while mean < 3.54 indicates disagreement

Source: Field survey, 2023

**Table 4. Sources of information of the respondents on sesame production (n=125)**

S/N	Source of information	Frequency	Percentage (%)
i.	Extension agents	22	17.6
ii.	Other farmers	108	86.4
iii.	Radio	14	11.2
iv.	Newspapers	14	11.2
v.	Television	08	6.4
vi.	Non-Governmental Organizations (NGO's)	07	5.6

Source: Field survey, 2023

Using the criterion above and below the mean (60.34), only 43.2% of the respondents had a favorable perception of climate change. In comparison, most (56.8%) respondents had an unfavorable perception of climate change. Unfavorable perception of climate change implies low understanding, knowledge, and interpretation of climate change. With most sesame farmers having an adverse perception of climate change, their preparedness and response to climate change adaptation strategies may be inadequate, leading to low crop yields and farm-level income. Therefore, providing extension education is a sine qua non to boosting farmers' perception of climate change and the need to adopt adaptation strategies.

### **3.3 Respondents' Sources of Information on Sesame Production about Climate Change**

The results in Table 4 show that the majority (86.4%) of the sesame farmers got their information on sesame production from other farmers, (11.2%) and (6.4%) of the sesame farmers got their information from radio and television, respectively. Furthermore, 5.6% of the sesame farmers got information on sesame production from Non-Governmental Organizations (NGOs), and about (17.6%) of the farmers got information from extension agents. These results implied inadequate extension service in the study area and a lack of access to television and radio information. Awareness of the effects of climate change through appropriate and reliable sources is an essential determinant of adopting suitable adaptation strategies to cope with such changes, reduce losses, and take advantage of the opportunities associated with these changes. Maddison [12] found that farmer's awareness and perceptions of soil erosion problems positively and significantly affected their decisions to adopt suitable adaptation strategies.

### **3.4 Respondents' Adoption of Adaptation Strategies on Climate Change**

The results in Table 5 on sesame farmers' level of adoption of adaptation strategies revealed that the overall mean of adaptation strategies used by the respondents was 3.78. Therefore, the adoption of fertilizers, manures, and pesticides (4.10), early planting (4.06), planting of drought-

resistant varieties (3.90), different tillage systems (3.86), soil water conservation practices (3.83) as adaptation strategies were high among sesame farmers to cope with climate change and boost sesame production. The results implied that sesame farmers adopted different climate change adaptation strategies to cope with the effect of climate change. The finding agrees with Agbugba [13-14] who reported that sesame farmers adopted improved seed varieties, early planting, and the use of chemicals to cope with the effect of climate change on sesame production. By using the criterion above and below the mean (26.47), only 47.2% of the respondents had a high level of adopting climate change adaptation strategies. In comparison, more than half (52.8%) of respondents had a low adoption of climate change adaptation strategies. The result implies that most respondents' adoption of adaptation strategies was low. Hence, there is a need to give extension education to farmers on climate change adaptation strategies to avoid losses of sesame and boost its production [15].

### **3.5 Constraints Faced by the Sesame Farmers**

The constraints faced by sesame farmers are presented in Table 6. The results show that 92.0% of the sesame farmers indicated that inadequate extension services were a severe constraint, 77.6% indicated that lack of improved seeds was very severe, and 86.4% showed low rainfall as a severe constraint. Also, 86.4% of the farmers noted that pests and diseases were very severe constraints; 84.8% of the respondents stated soil infertility as a very severe constraint, while 84.0% of respondents faced the high cost of fertilizers as a very severe constraint. The mean scores further indicate that the high constraints to sesame production are inadequate extension services (3.92), pests and diseases (3.86), low rainfall (3.86), soil infertility (3.85), lack of access to fertilizers (3.83), and lack of improved seeds (3.78). By using the criterion above and below the mean (26.32), only 46.4% of the respondents faced low constraints to sesame production. In comparison, more than half (53.6%) of the respondents faced high constraints to sesame production. The result implies that most sesame farmers faced high constraints, which can cause low sesame production in the study area. Hence, there is a need to address the significant constraints on sesame production.

**Table 5. Respondents' adoption of adaptation strategies on climate change (n=125)**

S/N	Statement	SA	A	U	D	Mean SD
i.	Planting of early-maturing varieties of sesame.	0.0	52.0	5.6	42.4	0.0 3.09
ii.	Planting of different crops.	0.0	81.6	0.0	18.4	0.0 3.63
iii.	Planting of drought-resistant varieties.	2.4	89.6	4.0	4.0	0.0 3.90*
iv.	Use of soil water conservation practices.	0.0	91.2	0.8	8.0	0.0 3.83*
v.	Using different tillage systems.	0.8	92.0	0.0	7.2	0.0 3.86*
vi.	Use of fertilizers, manure, and pesticides.	10.4	89.6	0.0	0.0	0.0 4.10*
vii.	Early planting.	8.8	88.8	2.4	0.0	0.0 4.06*
<b>Overall mean</b>		<b>3.78</b>				
Adoption of adaptation strategies		Percentage	Min.	Max.	Mean	
High (>26.47)		47.2				
Low(<26.47)		52.8	22	30	26.47	

The mean > 3.78\* indicates high adoption of adaptation strategies, while the mean < 3.78 indicates low adoption of adaptation strategies. Source: Field survey, 2023

**Table 6. Constraints faced by the sesame farmers on sesame production (n=125)**

S/N	Constraint	4 Very Severe constraint	3 Severe Constraint	2 Low constraint	1 Not a constraint	Mean
i.	Lack of improved seeds	77.6	22.4	0.0	0.0	3.78*
ii.	Soil infertility	84.8	15.2	0.0	0.0	3.85*
iii.	Pest and diseases	86.4	13.6	0.0	0.0	3.86*
iv.	Low rainfall	86.4	13.6	0.0	0.0	3.86*
v	Lack of access to pesticide	0.00	0.00	83.2	16.8	1.83
vi.	Lack of access to fertilizers	84.0	15.2	0.8	0.0	3.83*
vii.	Lack of access to loan	0.00	0.00	40.0	60.0	1.40
viii.	Inadequate extension services	92.0	8.0	0.0	0.0	3.92*
<b>Overall mean</b>		<b>3.29</b>				
Constraints		Percentage	Min.	Max.	Mean	
High (>26.32)		53.6				
Low(<26.32)		46.4	22	30	26.32	

Mean > 3.29\* indicates high constraint to sesame production, while mean < 3.29 indicates low constraint sesame production. Source: Field survey, 2021

#### 4. CONCLUSION AND RECOMMENDATIONS

From the results of this study, it can be concluded that the sesame farmers' perception of climate change was unfavorable. The adoption of adaptation strategies for climate change was also low. The majority of sesame farmers faced high levels of constraints to sesame production, and the major ones were inadequate extension services, pests and diseases, soil infertility, low rainfall, and lack of improved seeds. Most sesame farmers got their information from other farmers instead of the extension service mandated and equipped with scientific information and innovations to assist farmers in

combating the effects of climate change and motivate them to adopt adaptation strategies. Based on the study's findings, it was recommended that agricultural extension services be revived to disseminate climate change information to sesame farmers and promote improved sesame production. Constraints facing sesame production should be addressed in the study area.

#### 5. LIMITATION OF THE STUDY

The limitation of the study was farmers' inability to clearly apprehend the meaning of climate and weather as needed. They were also not able to recall in detail their experiences of several



climatic shift events from the past as at when interviewed.

## COMPETING INTERESTS

Authors have declared that no competing interests exist.

## REFERENCES

1. Abu AG, Abah D, Okpachu AS. Costs and returns for sesame production in Nasarawa State: Implication for sustainable development in Nigeria analysis. *Journal of Sustainable development in Africa*, 2011;13(3):238–249.
2. Nigeria Export Promotion Council (NEPC), (2018). Expanding Nigeria's Exports of Sesame Seeds, Sheanut/Butter through Improved Capacity Building for the Private and Public Sector. 2014;137
3. FAO. Climate-Smart. Agriculture. policies, practices and financing for food security, adaptation and mitigation. Rome: Food and Agriculture Organization of the United Nations (FAO); 2010.
4. NIMET; 2017. Available: <https://www.worldweatheronline.com/potiskum-weather-averages/yobe/ng.aspx>
5. Saleh A. Loss of agricultural productivity and biodiversity in semi-arid environment of North Eastern Nigeria. *International Research of Applied and Natural Sciences*. 2014;1(3):2937.
6. Yobe State Socio-Economic Reform Agenda (YOSERA) III (2012-2015) Available: [http://www.en.wikipedia.org/wiki/Yobe\\_State](http://www.en.wikipedia.org/wiki/Yobe_State). Accessed On: 20th April, 2015.
7. Ishaya DB, Makinde OJ, Oyediran BO, Yahaya HT. Socioeconomic determinants of cattle production among farmers in Bade Local Government of Yobe State, Nigeria. *International Journal of Research in Agriculture and Forestry*. 2018;5(1):1-7.
8. Madaki MJ, Abba AY, Ismail M, Mujaheed, AM. Resource use efficiency of rice production in Bade local government area of Yobe State, Nigeria. *The International Journal of science and Technoledge*. 2022;10(12):15-20
9. Owoade EO, Umar MB, Abubakar M, Abdulhakeem AL, Lailai IY. Effect of importation ban on rice production in Bade local government area of Yobe State, Nigeria. *Asian Research Journal of Agriculture*. 2021;14(3):36-44
10. Rukwe DT, Aboki E, Luka P, Nyam CM. Economics of sesame production among small scale farmers in Southern Part of Taraba state, Nigeria. *Journal of Agricultural Economics, Environment and social Sciences*. 2020;6(1):103-112.
11. Tologbonse EB, Auta SJ, Bidoli TD, Jaliya MM, Onu RO, Isa FO. Farmers' perception of the effects of climate change and coping strategies in three agro-ecological Zones of Nigeria. *Journal of Agricultural Extension*. 2010;14 (1):144 -156
12. Maddison D. The perception of and adaptation to climate in Africa. CEEPA Discussion Paper No.10. Centre for Environmental Economics and Policy in Africa, University of Pretoria; 2006.
13. Agbugba I. Assessment of climate change on sesame cultivation in Makurdi Local Government Area of Benue State, Nigeria. *Turkish Economic Review*. 2017;4(2):227-233.
14. Maharjan SK, Sidgel ER, Sthapit BR, Regmi BR. Tharu Community's Perception of Climate Change and their Adaptive Initiations to Understand its Impacts in Western Terai of Nepal. *International NGO Journal*. 2011;6 (2,):35-42
15. Proshare. Sesame Seeds - A Diamond in the Rough; 2018.

© Copyright (2024): Author(s). The licensee is the journal publisher. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

### Peer-review history:

The peer review history for this paper can be accessed here:

<https://www.sdiarticle5.com/review-history/116347>