

Journal of Scientific Research & Reports

24(1): 1-6, 2019; Article no.JSRR.50019

ISSN: 2320-0227

An Analysis of the Deaths Reported by Hurricane Maria: A Mini Review

Rafael Méndez-Tejeda^{1*}

¹Department of Natural Science, Atmospherical Science Laboratory, University of Puerto Rico, Carolina Puerto Rico, P.O.Box 4800. Carolina P.R.00966, USA.

Author's contribution

The sole author designed, analysed, interpreted and prepared the manuscript.

Article Information

DOI: 10.9734/JSRR/2019/v24i130144

Editor(s)

(1) Dr. Karl Kingsley, University of Nevada, Las Vegas - School of Dental Medicine, USA.

Reviewers:

 (1) Alan Garfield, University of Dubuque, USA.
 (2) Diana C. Tapia-Pancardo, National Autonomous University of México, México.
 (3) Wasantha Rajapakshe, Sri Lanka Institute of Information Technology, Malabe, Sri Lanka. Complete Peer review History: http://www.sdiarticle3.com/review-history/50019

Danis and 00 May 2010

Mini-review Article

Received 02 May 2019 Accepted 10 July 2019 Published 19 July 2019

ABSTRACT

The purpose of this mini review is to analyze the controversies surrounding the official death toll of Hurricane Maria, driven by the estimates of excess mortality rates by academics and investigative journalists. This review will be a critique of the aforementioned analyses and articles with the purpose of clarifying their figures, which all present different numbers of victims. In three publications (i.e., Kishore et al., 2018; Santos-Lozada et al., 2018; GWU, 2018), the Commonwealth of Puerto Rico reported different numbers of victims in the aftermath of HM on September 20, 2017. Since the occurrence of HM in PR, the reported number of victims of this disaster has varied. According to the PR government, the official number of deaths is 64 CPI (2017), while Kishore et al.'s (2018) report puts the figure at 4,645 and 2,975 deaths, as reported by George Washington University. This article analyzes why these sources disagree on the number of the dead and the possible reasons why there are discrepancies.

Keywords: Hurricane Maria; Puerto Rico; deaths from Hurricane Maria; disaster.

1. INTRODUCTION

On September 20, 2017, Hurricane Maria (HM) struck Puerto Rico (PR) (Fig. 1). HM made landfall on the southeast side of PR and was on the island for about 12 hours [1]. HM entered PR as a Category IV hurricane with winds of 250 km/h; although it weakened a little, its slow displacement over the island's geography caused the total destruction of the island's infrastructure. When the HM hits PR, its eye changes shape, which creates a double wall inside, causing it to move more slowly and doing more damage [2].

On October 3, the U.S. president visited the island, and the PR government announced that 16 people had lost their lives and several had disappeared; this information ... indicated that the number of people who died was lower than those who had lost their lives in the aftermath of Hurricanes Katrina and Harvey [3].

On November 22, 2017, the PR government presented a preliminary report of the damage caused by HM. The report indicated that the number of deaths caused by HM had increased to 64 direct deaths and that the hurricane had destroyed an estimated number of 472,000 homes; the report added that 11,229 people had been displaced from their homes and the

economic losses amounted to US\$94 billion. In addition, 100% of the territory lost access to energy, 60% of the population had no access to drinking water service, 92.7% of communications services were affected, and only seven hospitals had been restored [3,4]). These Figures (Fig.1) illustrate that HM has been the most expensive hurricane in the territory of the United States of America (NOAA) [5].

Puerto Rico is an island in the Caribbean Sea and is a commonwealth of the United States. It is bordered by the Caribbean Sea to the south and the Atlantic Ocean to the north, with an area of approximately 9,104 sq. km. PR are densely populated within a small geographic area. PR is located at a latitude of 18-18.5 degrees north and a longitude of 65-67.4 degrees west. The highest point in PR is Cerro de Punta, a mountain peak in the Cordillera Central at an elevation of 1,338 meters. Sierra de Luquillo is an isolated range, located on the northeast part of the island [6]. The political division of PR is represented by 78 municipalities, including two municipal islands (i.e., Vieques and Culebra). According to the U.S. census taken in July 2017, the population was 3.34 million before the Island was affected by HM in September 2017—the worst hurricane in Puerto Rico's modern history [7].




Fig. 1. Taken on September 20, 2017, at 2:15 a.m. This image shows the well-defined eye of HM, skirting the island of St. Croix. Approximately four hours later, at 6:15 a.m., the storm made landfall in PR as a category IV hurricane with constant winds of around 250 km/h

Source: NOAA/NASA Suomi NPP satellite

2. METHOD

In this review we analyze the most relevant scientific articles that reported the number of deaths caused by HM were analyzed and the results were compared as follows:

Harvard University reported 4,635 deaths between September 20 and December 31, 2017 [8]. Using a representative, stratified sampling strategy, we surveyed 3,299 randomly chosen households across PR from January 17 through February 24, 2018 to produce a complete and independent estimate of mortality after the hurricane. Questions were asked displacement, loss of infrastructure, and causes of death, which helped establish a relationship between excess deaths by comparing our estimated post-hurricane mortality rate with the official rates for the same period in 2016. This analysis yielded a total of 4,645 excess deaths during this period (95% CI, 793-8,498)—a 62% increase in the mortality rate compared to the same period in 2016.

Santos-Lozada [9] from Pennsylvania State University used public statements from the PR Department of Public Safety to estimate the number of deaths for September and October 2017. The expected number of deaths for September and October was 2,383 (95% CI, 2,296–2,469) and 2,428 (95% CI, 2,380–2,476), respectively. The estimated total deaths for September and October 2017 were 2,987 (95% CI, 2,900–3,074) and 3,043 (95% CI, 2995–3,091), respectively. The difference between our estimates and the abovementioned 95% CI for the average deaths was 518 deaths for September and 567 deaths for October.

The School of Public Health of the Milken Institute of George Washington University (Washington, DC, USA) [10], was contracted by the PR government to carry out an independent investigation into the excess post-hurricane mortality and death certification evaluations as well as the processes of communicating the public risks. This research was carried out in collaboration with the Graduate School of Public Health of the University of PR. Using the displacement scenario, the results showed that the excess mortality due to HM was estimated at 1,271 in September and October (95% CI, 1,154-1,383), 2,098 from September December (95% CI, 1,872-2,315), and 2,975 for the total study period of September 2017 through February 2018 (95% CI, 2,658-3,290).


3. RESULTS

The public relations department of the PR government used the data sources of the Department of Public Security (DPS) for the period from September 20 to November 22 and reported that the number of direct deaths was officially 64 [11,12]. However, different media sources estimated that the number of deaths was approximately 1000 for this period. Using interviews, IPC (2017) reported 985 deaths for the same period, without clarifying whether they were direct or indirect.

In the case of HM, the highest number of deaths occurred in the metropolitan areas (San Juan, Bayamón, Guyana, and Carolina); this zone corresponds to the northeast quadrant of HM (Fig. 2), and this is the region that experienced the most intense wind and rain. According to [10], 77% of those who lost their lives were adults over 65 years of age with low socioeconomic status; lack of energy, water, or communications for several months contributed to the deaths of these people; therefore, these deaths can be construed as indirect, mainly because the largest nursing homes, hospitals, etc. are located in the metropolitan areas.

The PR government and the U.S. state and federal governments show a lack of coordinated communication and training among the media of the government agencies of PR and their spokespersons. This lack of communication made it impossible for aid to reach the places where it was most needed [10]. When Hurricane Harvey in Texas and Hurricane Irma in Florida and the Virgin Islands occurred, the most qualified personnel were called upon to attend to these emergencies. However, most of the personnel who were recruited for HM in PR were less competent and ill prepared to deal effectively with the magnitude of the emergency. DPS must have prepared people for the worst case; however, PR was only prepared for a Category I hurricane [10].

In their analysis of the controversies surrounding the reports of deaths, [13] concluded that "the lack of a standardized methodology for the analysis of mortality related to the disaster, and provides a point estimate with a relatively narrow CI for excess mortality, this greater degree of certainty helps to move on to the next stage of interventions." This analysis also found that the government's official estimate of 64 deaths from the hurricane on death certificates could contain



Sources: The George Washington University Milken Institute
School of Public Health, University of Puerto Rico Graduate School Of Public Health

Fig. 2. Estimated percentage increase in crude mortality rates by municipality in PR from September 2017 to February 2018

Source: The George Washington University Milken Institute

errors, mainly because many doctors were unfamiliar with the certification protocol, which led to an inadequate monitoring of mortality after the hurricane's consequences.

4. DISCUSION AND CONCLUSION

- Develop alternative means to restore hospital minimum medical operations, prioritizing the data obtained from studies after HM. Plans should account for damage to facilities or medical machinery and the potential failure to deliver supplies or information.
- The author is of the opinion that the direct victims of HM are those who died 48 to 72 hours after the impact, whether due to floods, thunderstorms, landslides, gusts of wind, falling trees, etc. Included in this classification are also the victims of the preparation phase for the impact of a tropical storm (storms, hurricanes, etc.) After a few weeks, the cause of victims would be considered indirect and the reasons would have to be evaluated.
- As can be seen in the analysis, the discrepancy in the number of victims is mainly due to the difference in the period selected in each of the reports. Moreover, various factors that have been analyzed by various researchers have concentrated on PR; we will list some of the most relevant factors below.

- There is a lack of protocol among national organizations and agencies (e.g., the Centers for Disease Control and Prevention (CDC), PR Department of Public Safety, PR Department of Health (DoH), etc.), international organizations (e.g., the World Health Organization, the World Meteorological Organization, the International Red Cross, etc.), and other agencies dealing with disasters on how to classify direct and indirect deaths.
- The central government was not prepared to use alternative communication channels health-related and mortality for surveillance, public health information dissemination, and coordination with communities. including radio and interpersonal communication [10].
- In his essay on the problem of economic and energy crisis in PR, [14] states that we must address the problem of energy democracy for at least two reasons: (a) "make the unsustainability of our hydrocarbon frenzy feel urgent, and (b) demonstrate that energy transitions must consider the role of energetic colonialism in shaping contemporary realities and how to deal with them, and ultimately root out relationships based on extractivism."
- Several authors such as [15,16] have focused their analysis on the devastation caused by HM due to the colonial condition of PR. If something has become evident

after the hurricane, in addition to the sociopolitical crisis in PR, it is the ability of the people of PR to overcome adversity, which has worsened since the introduction of PR Oversight Management and Economic Stability Act (PROMESA).

 Therefore, better coordination between the local government and the federal government (FEMA) would have decreased the number of deaths and would have allowed a better use of resources.

5. RECOMMENDATIONS

- Prepare the agencies that work with emergencies for a maximum category Hurricane.
- Give more economic resources to the Mayors of the 78 PR towns, because they are the first authority of the government that serves the citizens
- Review all the emergency protocols in communities and schools to ensure that they include immediate and ongoing recovery plans, which agencies can draw on before the onset of disasters. Schools should receive children in stages as soon as possible to begin preventative post-traumatic stress disorder (PTSD) assessments.
- Review and update all the emergency protocols in communities, hospitals, and schools to ensure that they include immediate and continuous recovery plans, which agencies can utilize before the start of each cyclonic season.
- The actions of the Municipalities and nonprofit organizations contributed to reducing the impact of HM on both the loss of life and property. Therefore, it is suggested to give more resources, as well as participation for crisis management to these institutions.
- Finally, poverty and social inequality had existed before the impact of this hurricane; HM was only the trigger for an economic and social crisis. To reduce the vulnerability of PR, it is imperative to develop social capital and foster unity among social classes when facing disasters. These steps will create a stronger nation and help minimize the undermining of the potential development of a mental health crisis [14].

COMPETING INTERESTS

Author has declared that no competing interests exist.

REFERENCES

- Pasch RJ, Penny AB, Berg R. National Hurricane Center. Available:https://www.nhc.noaa.gov/data/tc r/AL152017_Maria.pdf. 2018
- Méndez-Tejeda R. Hurricane maria: 12 hours that changed the history of a country. Weather Journal. 2018;73(12). DOI: 10.1002/wea.3409
- ENDI. Huracán Maria; 2017. Available:https://huracanmaria.elnuevodia. com FEMA. Puerto Rico Hurricane Maria (DR-4339); 2017. Available:https://www.fema.gov/disaster/43
- CPI. Comedy of errors: Government maintains official figure of 64 deaths; 2017. Available:http://periodismoinvestigativo.co m/2018/08/comedy-of-errors-government maintains-official-figure-of-64-deaths/. 2017
- NOAA. Hurricane Maria Advisory. 2017;16. Available:https://www.nhc.noaa.gov/archive/2017/MARIA.shtml? (Accessed 24 July 2018)
- Méndez-Tejeda R. Increase in the number of hot days for decades in Puerto Rico 1950–2014. Environment and Natural Resources Research. 2017;7(3). [ISSN 1927-0488 E-ISSN 1927-0496] Available:https://doi.org/10.5539/enrr.v7n3 p16
- JP. Junta de Planificación Oficina del Gobernador, Gobierno de Puerto Rico. Índice de desarrollo socioeconómico municipal. [Planning Board Office of the Governor, Government of Puerto Rico. Index of municipal socioeconomic development; 2017. Available:https://estadisticas.pr/index.php/ en/1-estadisticas-socialesdemograficas-y-
- Kishore N, Marqués D, Mahmud A, Kiang MV, Rodriguez I, Fuller A, Ebner P, Sorensen C, Racy F, Lemery J, Maas L, Leaning J, Irizarry RA, Balsari S, Buckee CO. Mortality in Puerto rico after hurricane Maria. N Engl J Med. 2018;379(2):162-170

conexas

Santos-Lozada AR, Howard JT. Use of death counts from vital statistics to

- calculate excess deaths in Puerto Rico following Hurricane Maria. Journal of the American Medical Association (JAMA).
- DOI: 10.1001/jama.2018.10929
- GW. Project report ascertainment of the estimated excess mortality from Hurricane Maria in Puerto Rico; 2018. Available:https://publichealth.gwu.edu/sites /default/files/downloads/projects/PRstudy/ Acertainment%20of%20the%20Estimated %20Excess%20Mortality%20from%20Hurr icane%20Maria%20in%20Puerto%20Rico. pdf
- Sosa Pascual O. María diaspara las muertes en Puerto Rico en un 43%. Centro de Periodismo Investigativo [María increases deaths in Puerto Rico by 43%; 2017.
 Available:http://periodismoinvestigativo.com/2017/11/maria-dispara-las-muertes-en-
- Zorrilla CD. The view from Puerto Rico: Hurricane Maria and its aftermath. The New England Journal of Medicine. 2017;363(1):1–3.

puerto-rico-enun-43

- Available:https://doi.org/10.1056/NEJMp10 02530
- Santos-Burgoa C, Sandberg J, Suárez E, Goldman-Hawes A, Zeger S, Garcia-Meza A, Pérez CM, Estrada-Merly N, Colón-Ramos U, Nazario Cruz M, Andrade E, Roess A, Golman L. Differential and persistent risk of excess mortality from hurricane Maria in Puerto Rico: A timeseries analysis. Lancet Planetary Health. 2018;2:e478–88. Available:http://dx.doi.org/10.1016/S2542-
 - Available:http://dx.doi.org/10.1016/S2542-5196(18)30209-2 .
- de Onís CM. Energy colonialism powers the ongoing unnatural disaster in Puerto Rico. Front. Commun. 2018;3(2). DOI: 10.3389/fcomm.2018.00002
- Rodríguez-Díaz CE. Maria in Puerto Rico: Natural disaster in a colonial archipelago. American Journal of Public Health. 2018;108(1):30–32. DOI: 10.2105/AJPH.2017.304198
- Llorens H. Imaging disaster: Puerto Rico through the eye of hurricane María. Transforming Anthropology. 2018;26(2): 136–156.

© 2019 Méndez-Tejeda; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:
The peer review history for this paper can be accessed here:
http://www.sdiarticle3.com/review-history/50019